



## S20 BLACK Real 1-Step Compound

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

S20 BLACK Real 1-Step Compound

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Use of the substance/mixture

Automotive care products

#### 1.3. Details of the supplier of the safety data sheet

|               |                         |                                  |
|---------------|-------------------------|----------------------------------|
| Company name: | SCHOLL Concepts GmbH    |                                  |
|               | Polish & Pad Manufaktur |                                  |
| Street:       | Maybachstrasse 7        |                                  |
| Place:        | D-71686 Remseck         |                                  |
| Telephone:    | +49 (0) 7141 29299 - 0  | Telefax: +49 (0) 7141 29299 - 10 |
| e-mail:       | sds@schollconcepts.com  |                                  |
| Internet:     | www.schollconcepts.com  |                                  |

1.4. Emergency telephone number: +49 (0) 89 19240 (Giftnotruf Technische Universität München)

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Regulation (EG) Nr. 1272/2008

This mixture is not classified as hazardous in accordance with GB CLP Regulation.

#### 2.2. Label elements

##### Regulation (EG) Nr. 1272/2008

##### Hazard components for labelling

This product has been treated with biocides for preservation.

##### Precautionary statements

P102 Keep out of reach of children.

##### Special labelling of certain mixtures

|        |   |
|--------|---|
| EUH208 | Contains mixture of 5-chloro-2-methyl-2H-isothiazol-3-one (EG No. 247-500-7) and 2-methyl-2H-isothiazol-3-one (EG No. 220-239-6) (3:1). May produce an allergic reaction. |
| EUH210 | Safety data sheet available on request.   |

#### 2.3. Other hazards

No information available.

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

**S20 BLACK Real 1-Step Compound****Hazardous components**

| CAS No     | Chemical name  | Quantity    |
|------------|--|-------------|
|            | EC No      Index No      REACH No  |             |
|            | Classification (Regulation (EG) Nr. 1272/2008)   |             |
|            | Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 0,1% Benzene  | 10 - < 15 % |
|            | 918-481-9      01-2119457273-39  |             |
|            | Asp. Tox. 1; H304 EUH066   |             |
| 8042-47-5  | white mineral oil ( petroleum )  | 1 - < 5 %   |
|            | 232-455-8      01-2119487078-27  |             |
|            | Asp. Tox. 1; H304  |             |
| 55965-84-9 | mixture of 5-chloro-2-methyl-2H-isothiazol-3-one (EG No. 247-500-7) and 2-methyl-2H-isothiazol-3-one (EG No. 220-239-6) (3:1)  | < 0.1 %     |
|            | 611-341-5      613-167-00-5  |             |
|            | Acute Tox. 2, Acute Tox. 2, Acute Tox. 3, Skin Corr. 1C, Eye Dam. 1, Skin Sens. 1A, Aquatic Acute 1, Aquatic Chronic 1; H330 H310 H301 H314 H318 H317 H400 H410 EUH071 |             |

Full text of H and EUH statements: see section 16.

**Specific Conc. Limits, M-factors and ATE**

| CAS No     | EC No     | Chemical name   | Quantity    |
|------------|-----------|---|-------------|
|            |           | Specific Conc. Limits, M-factors and ATE  |             |
|            | 918-481-9 | Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 0,1% Benzene   | 10 - < 15 % |
|            |           | dermal: LD50 = >5000 mg/kg; oral: LD50 = >5000 mg/kg  |             |
| 8042-47-5  | 232-455-8 | white mineral oil ( petroleum )   | 1 - < 5 %   |
|            |           | dermal: LD50 = >2000 mg/kg; oral: LD50 = >5000 mg/kg  |             |
| 55965-84-9 | 611-341-5 | mixture of 5-chloro-2-methyl-2H-isothiazol-3-one (EG No. 247-500-7) and 2-methyl-2H-isothiazol-3-one (EG No. 220-239-6) (3:1)   | < 0.1 %     |
|            |           | inhalation: ATE = 0,5 mg/l (vapours); inhalation: ATE = 0,05 mg/l (dusts or mists); dermal: LD50 = >141 mg/kg; oral: LD50 = 66 mg/kg Skin Corr. 1C; H314: >= 0,6 - 100 Skin Irrit. 2; H315: >= 0,06 - < 0,6 Eye Dam. 1; H318: >= 0,6 - 100 Eye Irrit. 2; H319: >= 0,06 - < 0,6 Skin Sens. 1A; H317: >= 0,0015 - 100<br>Aquatic Acute 1; H400: M=100<br>Aquatic Chronic 1; H410: M=100 |             |

**SECTION 4: First aid measures****4.1. Description of first aid measures****General information**

No special measures are necessary. When in doubt or if symptoms are observed, get medical advice.

**After inhalation**

Provide fresh air. In case of respiratory tract irritation, consult a physician.



## S20 BLACK Real 1-Step Compound

### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off contaminated clothing and wash it before reuse.

### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

### After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Call a doctor.

### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### Suitable extinguishing media

Foam. Dry extinguishing powder. Carbon dioxide (CO<sub>2</sub>). Water spray jet. Co-ordinate fire-fighting measures to the fire surroundings.

#### Unsuitable extinguishing media

Full water jet

### 5.2. Special hazards arising from the substance or mixture

No special measures are necessary.

### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

### Additional information

Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

#### For non-emergency personnel

Remove all sources of ignition. Ventilate affected area. Wear personal protection equipment (refer to section 8).

#### For emergency responders

Wear breathing apparatus if exposed to vapours/dusts/aerosols. Use personal protection equipment. Tested protective gloves must be worn: Recommended material: NBR (Nitrile rubber). Unsuitable material: PVC



## S20 BLACK Real 1-Step Compound

(polyvinyl chloride)

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

### 6.3. Methods and material for containment and cleaning up

#### For containment

Collect spillage. Stop leak if safe to do so. Cover drains.

#### For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### Other information

Use non-sparking tools. Clean contaminated articles and floor according to the environmental legislation.

### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### Advice on safe handling

No special measures are necessary. Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500.

#### Advice on protection against fire and explosion

No special fire protection measures are necessary. Only use the material in places where open light, fire and other flammable sources can be kept away.

#### Advice on general occupational hygiene

Take off contaminated clothing. Wash hands before breaks and after work. When using do not smoke. When using do not eat or drink. Avoid contact with skin, eyes and clothes. Avoid breathing dust/fume/gas/mist/vapours/spray.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep only in the original container in a cool, well-ventilated place. Keep container tightly closed.

#### Hints on joint storage

Oxidising agent. Strong acid. Strong alkali. Pyrophoric or self-heating substances

#### Further information on storage conditions

Recommended storage temperature: 15-25°C

### 7.3. Specific end use(s)

Automotive care products



**S20 BLACK Real 1-Step Compound**

**SECTION 8: Exposure controls/personal protection**

**8.1. Control parameters**

**Exposure limits (EH40)**

| CAS No    | Substance                         | ppm | mg/m <sup>3</sup> | fibres/ml | Category  | Origin |
|-----------|-----------------------------------|-----|-------------------|-----------|-----------|--------|
| 1344-28-1 | Aluminium oxides, respirable dust | -   | 4                 |           | TWA (8 h) | WEL    |
| 56-81-5   | Glycerol, mist                    | -   | 10                |           | TWA (8 h) | WEL    |

**DNEL/DMEL values**

| CAS No    | Substance                       | Exposure route | Effect   | Value                   |
|-----------|---------------------------------|----------------|----------|-------------------------|
| 1344-28-1 | Aluminium oxide                 |                |          |                         |
|           | Worker DNEL, long-term          | inhalation     | local    | 15,63 mg/m <sup>3</sup> |
|           | Consumer DNEL, long-term        | oral           | systemic | 3,29 mg/kg bw/day       |
| 8042-47-5 | white mineral oil ( petroleum ) |                |          |                         |
|           | Consumer DNEL, long-term        | inhalation     | systemic | 35 mg/m <sup>3</sup>    |
|           | Consumer DNEL, long-term        | dermal         | systemic | 93 mg/kg bw/day         |
|           | Worker DNEL, long-term          | inhalation     | systemic | 160 mg/m <sup>3</sup>   |
|           | Worker DNEL, long-term          | dermal         | systemic | 220 mg/kg bw/day        |
|           | Consumer DNEL, long-term        | oral           | systemic | 40 mg/kg bw/day         |
| 1344-28-1 | aluminium oxide                 |                |          |                         |
|           | Worker DNEL, long-term          | inhalation     | local    | 15,6 mg/m <sup>3</sup>  |
|           | Consumer DNEL, long-term        | oral           | systemic | 6,2 mg/kg bw/day        |
| 56-81-5   | glycerol                        |                |          |                         |
|           | Worker DNEL, long-term          | inhalation     | local    | 220 mg/m <sup>3</sup>   |

**S20 BLACK Real 1-Step Compound**

**PNEC values**

| CAS No   | Substance       |  | Value       |
|--|-----------------|--|-------------|
| Environmental compartment                        |                 |  |             |
| 1344-28-1  | Aluminium oxide |  |             |
| Freshwater                                       |                 |  | 0,0749 mg/l |
| Micro-organisms in sewage treatment plants (STP) |                 |  | 20 mg/l     |
| 1344-28-1  | aluminium oxide |  |             |
| Freshwater                                       |                 |  | 0,0749 mg/l |
| Micro-organisms in sewage treatment plants (STP) |                 |  | 20 mg/l     |
| 56-81-5  | glycerol        |  |             |
| Micro-organisms in sewage treatment plants (STP) |                 |  | 1000 mg/l   |

**8.2. Exposure controls**



**Appropriate engineering controls**

Use only in well-ventilated areas.

**Individual protection measures, such as personal protective equipment**

**Eye/face protection**

Wear eye/face protection.

**Hand protection**

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Tested protective gloves must be worn.

Recommended glove articles: HyFlex® Foam (EN 420, EN 388 (3131)).

**Skin protection**

Wear suitable protective clothing.

**Respiratory protection**

In case of inadequate ventilation wear respiratory protection.

**Environmental exposure controls**

No special environmental measures are necessary. Do not allow uncontrolled discharge of product into the environment.

**S20 BLACK Real 1-Step Compound****SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

|   |                          |
|---|--------------------------|
| Physical state:   | Liquid                   |
| Colour:   | grey                     |
| Odour:  | characteristic           |
| Melting point/freezing point:                             | not determined           |
| Boiling point or initial boiling point and boiling range: | 100 °C                   |
| Flammability  |                          |
| Solid/liquid:   | not applicable           |
| Gas:  | not applicable           |
| Lower explosion limits:                                   | 0,5 vol. %               |
| Upper explosion limits:                                   | 7 vol. %                 |
| Flash point:  | >61 °C                   |
| Auto-ignition temperature:                                | >200 °C                  |
| Decomposition temperature:                                | not determined           |
| pH-Value (at 20 °C):                                      | 7,8                      |
| Viscosity / kinematic:<br>(at 40 °C)                      | >20,5 mm <sup>2</sup> /s |
| Water solubility:   | completely miscible      |
| Solubility in other solvents                              |                          |
| not determined  |                          |
| Partition coefficient n-octanol/water:                    | not determined           |
| Vapour pressure:<br>(at 20 °C)                            | 0,6 hPa                  |
| Density (at 20 °C):                                       | 1,06 g/cm <sup>3</sup>   |

**9.2. Other information****Information with regard to physical hazard classes**

Oxidizing properties  
Not oxidising.

**Other safety characteristics**

|                                    |                   |
|------------------------------------|-------------------|
| Solvent content:                   | 25,72 %           |
| Viscosity / dynamic:<br>(at 20 °C) | 20000-25000 mPa·s |

**SECTION 10: Stability and reactivity****10.1. Reactivity**

No hazardous reaction when handled and stored according to provisions.

**S20 BLACK Real 1-Step Compound****10.2. Chemical stability**

The product is stable under storage at normal ambient temperatures.

**10.3. Possibility of hazardous reactions**

No known hazardous reactions.

**10.4. Conditions to avoid**

Only use the material in places where open light, fire and other flammable sources can be kept away.

**10.5. Incompatible materials**

Oxidising agent. Strong acid. Strong alkali.

**10.6. Hazardous decomposition products**

No known hazardous decomposition products.

**SECTION 11: Toxicological information****11.1. Information on hazard classes as defined in CLP Regulation****Toxicokinetics, metabolism and distribution**

No information available.

**Acute toxicity**

Based on available data, the classification criteria are not met.

| CAS No     | Chemical name   |                  |         |        |             |
|------------|---|------------------|---------|--------|-------------|
|            | Exposure route  | Dose             | Species | Source | Method      |
|            | Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 0,1% Benzene   |                  |         |        |             |
|            | oral  | LD50 >5000 mg/kg | Rat     | ECHA   | OECD TG 401 |
|            | dermal  | LD50 >5000 mg/kg | Rabbit  | ECHA   | OECD TG 402 |
| 8042-47-5  | white mineral oil ( petroleum )   |                  |         |        |             |
|            | oral  | LD50 >5000 mg/kg | Rat     | ECHA   | OECD 401    |
|            | dermal  | LD50 >2000 mg/kg | Rabbit  | ECHA   | OECD 402    |
| 55965-84-9 | mixture of 5-chloro-2-methyl-2H-isothiazol-3-one (EG No. 247-500-7) and 2-methyl-2H-isothiazol-3-one (EG No. 220-239-6) (3:1) |                  |         |        |             |
|            | oral  | LD50 66 mg/kg    | Rat     | Thor   |             |
|            | dermal  | LD50 >141 mg/kg  |         | Thor   |             |
|            | inhalation vapour   | ATE 0,5 mg/l     |         |        |             |
|            | inhalation dust/mist  | ATE 0,05 mg/l    |         |        |             |





## S20 BLACK Real 1-Step Compound

### **Irritation and corrosivity**

Based on available data, the classification criteria are not met.

### **Sensitising effects**

Contains mixture of 5-chloro-2-methyl-2H-isothiazol-3-one (EG No. 247-500-7) and 2-methyl-2H-isothiazol-3-one (EG No. 220-239-6) (3:1). May produce an allergic reaction.

### **Carcinogenic/mutagenic/toxic effects for reproduction**

Based on available data, the classification criteria are not met.

### **STOT-single exposure**

Based on available data, the classification criteria are not met.

### **STOT-repeated exposure**

Based on available data, the classification criteria are not met.

### **Aspiration hazard**

Based on available data, the classification criteria are not met.

### **Specific effects in experiment on an animal**

No information available.

### **Additional information on tests**

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

## SECTION 12: Ecological information

### **12.1. Toxicity**

Based on available data, the classification criteria are not met.

## S20 BLACK Real 1-Step Compound

| CAS No     | Chemical name   |                  |           |                                     |        |          |
|------------|---|------------------|-----------|-------------------------------------|--------|----------|
|            | Aquatic toxicity  | Dose             | [h]   [d] | Species                             | Source | Method   |
|            | Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 0,1% Benzene   |                  |           |                                     |        |          |
|            | Acute fish toxicity   | LC50 >1000 mg/l  | 96 h      | Oncorhynchus mykiss (Rainbow trout) | ECHA   | OECD 203 |
|            | Acute algae toxicity  | ErC50 >1000 mg/l | 72 h      | Pseudokirchneriella subcapitata     | ECHA   | OECD 201 |
|            | Acute crustacea toxicity  | EC50 >1000 mg/l  | 48 h      | Daphnia magna (Big water flea)      | ECHA   | OECD 202 |
| 8042-47-5  | white mineral oil ( petroleum )   |                  |           |                                     |        |          |
|            | Acute fish toxicity   | LL50 >1000 mg/l  | 96 h      | Leuciscus idus (golden orfe)        | ECHA   | OECD 203 |
|            | Acute algae toxicity  | ErC50 >100 mg/l  | 72 h      | Pseudokirchneriella subcapitata     | ECHA   | OECD 201 |
|            | Acute crustacea toxicity  | EL50 >100 mg/l   | 48 h      | Daphnia magna (Big water flea)      | ECHA   | OECD 202 |
|            | Algae toxicity  | NOEC >=100 mg/l  | 72 d      | Pseudokirchneriella subcapitata     | ECHA   | OECD 201 |
| 55965-84-9 | mixture of 5-chloro-2-methyl-2H-isothiazol-3-one (EG No. 247-500-7) and 2-methyl-2H-isothiazol-3-one (EG No. 220-239-6) (3:1) |                  |           |                                     |        |          |
|            | Acute fish toxicity   | LC50 0,22 mg/l   | 96 h      | Oncorhynchus mykiss (Rainbow trout) | Thor   | OECD 203 |
|            | Acute algae toxicity  | ErC50 0,048 mg/l | 72 h      | Pseudokirchneriella subcapitata     | Thor   | OECD 201 |
|            | Acute crustacea toxicity  | EC50 0,1 mg/l    | 48 h      | Daphnia magna (Big water flea)      | Thor   | OECD 202 |
|            | Fish toxicity   | NOEC 0,098 mg/l  | 28 d      | Oncorhynchus mykiss (Rainbow trout) | Thor   | OECD 210 |
|            | Algae toxicity  | NOEC 0,0012 mg/l | 3 d       | Pseudokirchneriella subcapitata     | Thor   | OECD 201 |
|            | Crustacea toxicity  | NOEC 0,004 mg/l  | 21 d      | Daphnia magna (Big water flea)      | Thor   | OECD 211 |
|            | Acute bacteria toxicity   | (EC50 7,92 mg/l) | 3 h       | Activated sludge                    |        | OECD 209 |

### 12.2. Persistence and degradability

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

**S20 BLACK Real 1-Step Compound**

| CAS No     | Chemical name   | Method     | Value | d  | Source |
|------------|---|------------|-------|----|--------|
|            | Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 0,1% Benzene   | OECD 301 F | 80%   | 28 | ECHA   |
|            | Readily biodegradable (according to OECD criteria).   |            |       |    |        |
| 8042-47-5  | white mineral oil ( petroleum )   | OECD 301F  | 31 %  | 28 | ECHA   |
|            | Not readily biodegradable (according to OECD criteria)  |            |       |    |        |
| 55965-84-9 | mixture of 5-chloro-2-methyl-2H-isothiazol-3-one (EG No. 247-500-7) and 2-methyl-2H-isothiazol-3-one (EG No. 220-239-6) (3:1) | OECD 301 A | >70 % | 28 | Thor   |
|            | Readily biodegradable (according to OECD criteria).   |            |       |    |        |
|            |   | OECD 301 D | >60%  |    | Thor   |
|            | Readily biodegradable (according to OECD criteria).   |            |       |    |        |

**12.3. Bioaccumulative potential**

The product has not been tested.

**Partition coefficient n-octanol/water**

| CAS No    | Chemical name                   | Log Pow |
|-----------|---------------------------------|---------|
| 8042-47-5 | white mineral oil ( petroleum ) | >4      |

**BCF**

| CAS No     | Chemical name   | BCF  | Species | Source         |
|------------|---|------|---------|----------------|
| 55965-84-9 | mixture of 5-chloro-2-methyl-2H-isothiazol-3-one (EG No. 247-500-7) and 2-methyl-2H-isothiazol-3-one (EG No. 220-239-6) (3:1) | 3,16 |         | EPIWIN, S 1177 |

**12.4. Mobility in soil**

The product has not been tested.

**12.5. Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

The product has not been tested.

**12.6. Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

**12.7. Other adverse effects**

No information available.



## S20 BLACK Real 1-Step Compound

### Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

#### Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

#### Contaminated packaging

Non-contaminated packages may be recycled.

## SECTION 14: Transport information

### Land transport (ADR/RID)

- |                                   |  |
|-----------------------------------|--|
| 14.1. UN number or ID number:     | No dangerous good in sense of this transport regulation. |
| 14.2. UN proper shipping name:    | No dangerous good in sense of this transport regulation. |
| 14.3. Transport hazard class(es): | No dangerous good in sense of this transport regulation. |
| 14.4. Packing group:              | No dangerous good in sense of this transport regulation. |

### Inland waterways transport (ADN)

- |                                   |  |
|-----------------------------------|--|
| 14.1. UN number or ID number:     | No dangerous good in sense of this transport regulation. |
| 14.2. UN proper shipping name:    | No dangerous good in sense of this transport regulation. |
| 14.3. Transport hazard class(es): | No dangerous good in sense of this transport regulation. |
| 14.4. Packing group:              | No dangerous good in sense of this transport regulation. |

### Marine transport (IMDG)

- |                                   |  |
|-----------------------------------|--|
| 14.1. UN number or ID number:     | No dangerous good in sense of this transport regulation. |
| 14.2. UN proper shipping name:    | No dangerous good in sense of this transport regulation. |
| 14.3. Transport hazard class(es): | No dangerous good in sense of this transport regulation. |
| 14.4. Packing group:              | No dangerous good in sense of this transport regulation. |

### Air transport (ICAO-TI/IATA-DGR)

- |                                   |  |
|-----------------------------------|--|
| 14.1. UN number or ID number:     | No dangerous good in sense of this transport regulation. |
| 14.2. UN proper shipping name:    | No dangerous good in sense of this transport regulation. |
| 14.3. Transport hazard class(es): | No dangerous good in sense of this transport regulation. |
| 14.4. Packing group:              | No dangerous good in sense of this transport regulation. |

### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

### 14.6. Special precautions for user

No special measures are necessary.

### 14.7. Maritime transport in bulk according to IMO instruments

not applicable

**S20 BLACK Real 1-Step Compound****SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 75

2010/75/EU (VOC): 15,771 % (167,168 g/l)

2004/42/EC (VOC): 15,79 % (167,374 g/l)

Information according to 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

**Additional information**

To follow: 850/2004/EC, 79/117/EEC, 689/2008/EC

**National regulatory information**

Water hazard class (D): 1 - slightly hazardous to water

**Substance/product listed in the following inventories**

|              |         |
|--------------|---------|
| EU / Schweiz | yes     |
| Taiwan       | yes     |
| New Zealand  | unknown |
| USA          | yes     |
| Canada       | yes     |
| Australia    | yes     |
| Japan        | no      |
| China        | yes     |
| Korea        | yes     |
| Philippines  | yes     |

**15.2. Chemical safety assessment**

Chemical safety assessments for substances in this mixture were not carried out.

**SECTION 16: Other information****Abbreviations and acronyms**ADR: Accord européen sur le transport des marchandises dangereuses par Route  
(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

**S20 BLACK Real 1-Step Compound**

ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service  
LC50: Lethal concentration, 50%  
LD50: Lethal dose, 50%

**Relevant H and EUH statements (number and full text)**

|        |   |
|--------|---|
| H301   | Toxic if swallowed.   |
| H304   | May be fatal if swallowed and enters airways.   |
| H310   | Fatal in contact with skin.   |
| H314   | Causes severe skin burns and eye damage.  |
| H317   | May cause an allergic skin reaction.  |
| H318   | Causes serious eye damage.  |
| H330   | Fatal if inhaled.   |
| H400   | Very toxic to aquatic life.   |
| H410   | Very toxic to aquatic life with long lasting effects.   |
| EUH066 | Repeated exposure may cause skin dryness or cracking.   |
| EUH071 | Corrosive to the respiratory tract.   |
| EUH208 | Contains mixture of 5-chloro-2-methyl-2H-isothiazol-3-one (EG No. 247-500-7) and 2-methyl-2H-isothiazol-3-one (EG No. 220-239-6) (3:1). May produce an allergic reaction. |
| EUH210 | Safety data sheet available on request.   |

**Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

**Identified uses**

| No | Short title                                    | LCS | SU | PC | PROC       | ERC | AC | TF | Specification |
|----|--|-----|----|----|------------|-----|----|----|---------------|
| 1  | Formulation or re-packing                      | F   | -  | -  | 8a, 9      | 2   | -  | -  |               |
| 2  | Automotive care products,<br>Industrial uses   | IS  | -  | -  | 7, 10, 17  | 4   | -  | -  |               |
| 3  | Automotive care products,<br>Professional uses | PW  | -  | -  | 10, 11, 17 | 8a  | -  | -  |               |
| 4  | Automotive care products,<br>Consumer use      | C   | -  | 31 | -          | 8a  | -  | -  |               |

LCS: Life cycle stages

PC: Product categories

ERC: Environmental release categories

TF: Technical functions

SU: Sectors of use

PROC: Process categories

AC: Article categories



THE SCIENCE OF GLOSS

Page 15 of 15

Safety Data Sheet According to Regulation (EG) Nr. 1907/2006

Revision date: 08.12.2022/Revision No:2,05

PDF Print date: 08.12.2022

## S20 BLACK Real 1-Step Compound

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

© by SCHOLL Concepts GmbH